



Logistar 260 Specifications

MODEL	LOGISTAR 260	
Basic Information	<input type="checkbox"/>	
Dimensions (LxWxH)	214.9x72.8x80.6 in	5457×1850×2046 mm
Front/Rear Tread	64 in	1624/1624 mm
Wheelbase	133 in	3380 mm
Curb Weight	3637.6 lbs.	1650 kg
Gross Weight	6746 lbs.	3060 kg
Payload	2821.9 lbs.	1280 kg
Cargo Volume	264 ft ³	7.5 m ³
Minimum Ground Clearance	7.5 in	190 mm
Minimum Turning Radius	547.2 in	13.9 m
Seats	2	2

Motor Performance		<input type="checkbox"/>
Motor Type	Permanent Magnet Synchronous	
Max. Speed	50 mph	80 km/h
Gradeability	25%	
Range	167.77 miles	270 km
Peak Power	75 kW	
Peak Torque	265 N·m	
Battery System		<input type="checkbox"/>
Battery Type	LFP	
Battery Capacity	43.5 kWh	
System Voltage	DC 345.6 V	
Charging Power	6.6 kW	
Charging Voltage	Slow Charge: AC 90-264 V	
Charging Time	Fast Charge 30% - 80% SOC: 30 minutes Slow Charge 0% - 100% SOC: 8 hours (AC 220V)	
Chassis Parameter		<input type="checkbox"/>
Motor Drive Mode	Rear Engine Rear Drive	
Front Suspension	Machpherson Independent Suspension	
Rear Suspension	Leaf Spring Dependent Suspension	
Front/Rear Brake	Disc/Drum	
Transmission Type	Fixed Gear Ratio Reduction Axle	

Configuration □	
Vehicle Color	White
Tyre	195/75R16LT
ECO Driving Mode(for energy saving)	•
Remote Control Key	•
Central Locking	•
Bluetooth Audio	•
Loudspeaker	•
USB Interface	•
Rear View Mirror	Manual Control
Reversing Radar	•
EPS	•
Sun Shield	•
Car Window Regulator	Eletrical
Air-conditioner	•
PTC Heating System	•
Lighting Lane Change AIDS	•
Hand Tool for Vehicle	•
Spare Tyre	•
Multi-Function Digital Screen	Optional
Reversing Camera	Optional
Hub Adornment Cover	Optional
Armrest of Passenger Seat	Optional
Slow Charging Gun	Optional